



800X2400MM
800X3200MM



There are no
limits to space,
there are no
limits to design.

- / -
/ - \
- \ -
\ - /
- / -
/ - \



Exemplify
the flair
of artistry
at your
routine





**80X
240
CM**

**80X
320
CM**

**Instill the
verve and
vivacity of
details**

There are so many materials inspirations and colours to be combined, and the results are original and surprising every time. Tiles with marble, concrete, stone effects can easily be combined with no laying difficulties.



Features



Lowest maintenance



Antibacterial surface



Water resistant



Impact resistant



Frost resistant



Scratch resistant



Stain resistant



Fire resistant



Heat resistant



Resistant to bending

Application



Kitchen countertop



Dining table



Table top



Door and window frame



Shelves



Shower base



Vanity top



Wash basin







Staircase



Bathtub



Floor & Wall





COLORBODY

-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Scratch resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending

Antique white




Antique white



800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY






- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Scratch resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY




-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Scratch resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
- Resistant to bending



800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY





- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Scratch resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



Calacatta Montreal




Calacatta Montreal




800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY




-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Scratch resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending



800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY






- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Scratch resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



Carrara Gold




Carrara Gold



800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY





- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Scratch resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



Carrara



Carrara



800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY






- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Scratch resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



Delicato




Delicato





800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY




-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Scratch resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending



800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY





- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Scratch resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



Statuario Oro




Statuario Oro



800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY





- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Scratch resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



Statuario Pulido



Statuario Pulido



800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY






- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Scratch resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



Statuario White




Statuario White



800
X3200
MM
80
X320
CM


800
X2400
MM
80
X240
CM

FINISH
GLOSSY






- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Scratch resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY






- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Scratch resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



Blue Pearl



Blue Pearl



800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Scratch resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
- Resistant to bending



Lambadorite




Lambadorite



800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY





- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Scratch resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



Sienna Pearl




Sienna Pearl



800
X3200
MM
80
X320
CM


800
X2400
MM
80
X240
CM

FINISH
GLOSSY






- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Scratch resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



800
X3200
MM
80
X320
CM


800
X2400
MM
80
X240
CM

FINISH
GLOSSY





- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Scratch resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending




800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Scratch resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending




800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Scratch resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending



800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY



-  Lowest maintenance
-  Antibacterial surface
-  Water resistant
-  Impact resistant
-  Frost resistant
-  Scratch resistant
-  Stain resistant
-  Fire resistant
-  Heat resistant
-  Resistant to bending

Nero Dorato



Nero Dorato



800
X3200
MM
80
X320
CM


800
X2400
MM
80
X240
CM

FINISH
GLOSSY





- Lowest maintenance
- Antibacterial surface
- Water resistant
- Impact resistant
- Frost resistant
- Scratch resistant
- Stain resistant
- Fire resistant
- Heat resistant
- Resistant to bending



Sahara Noir




Sahara Noir



800
X3200
MM
80
X320
CM

800
X2400
MM
80
X240
CM

FINISH
GLOSSY



TECHNICAL SPECIFICATION

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
-----------------	--	--------	-------------

REGULATORY PROPERTIES

Deviation in Length & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter

STRUCTURAL PROPERTIES

Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082

MASSIVE MECHANICAL PROPERTIES

Modulus of Rupture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5

SURFACE MECHANICAL PROPERTIES

Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101

THERMO HYGROMETRIC PROPERTIES

Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 ⁻⁶	Max 6.5x10 ⁻⁶	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11

CHEMICAL PROPERTIES

Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14

SAFETY PROPERTIES

Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

PACKING DETAIL

SIZE	THICKNESS	NO. OF SLAB/BOX	WEIGHT/BOX	COVERAGE AREA
80x240 cm	1.5 cm	1 Pcs.	67kg approx	1.92 Sq.ft.
80x320 cm	1.5 cm	1 Pcs.	90kg approx	2.56 Sq.ft.



SPENZA CERAMICS PVT LTD

Regd. & Corp. Office

8-A National Highway, Parsvanath Complex I 1st Floor,
Shop No. C3, Opp. Kuber Cinema, Morbi 363642 (Gujarat) India

Phone : +91 75080 07105

E-mail : spenzaceramics@gmail.com

Website : www.spenzaceramics.com

 **0172-3500930**
Call us : Mon-Sat 09Am - 08PM

Follow Us:

