

Plank



INNOVATION BLENDED WITH **NATURE.**



200X
1200MM



www.spenzaceramics.com

ABOUT US

The captivating charm of ceramic items enhances the beauty of homes, offices, or any space. Their durability, ease of maintenance, and vast array of designs and varieties make them an essential choice. Sometimes, it's the smallest things that bring the greatest joy. Even a tiny tile has the power to transform your world and create your Wonderland.

Tiles are not just small pieces; they are the foundation of your dream space, turning imagination into reality. At **Spenza Ceramics**, we offer a luxurious range of products, including Ceramic & Vitrified Floor Tiles and Digital Wall Tiles, crafted to elevate your spaces with elegance and style.



Plank



www.spenzaceramics.com

RESISTANCE TO SLIP



EASY TO CUT



EASY TO CLEAN



EASY TO INSTALL

www.spenzaceramics.com



Plank

**Unrivalled in Style,
Exceptional in Strength.**

Designed to offer superior performance, these surfaces come with a host of advanced features such as weather and chemical resistance, easy maintenance, and durability against scratches, stains, and abrasions. Effortlessly create the ambiance you've envisioned and enjoy a lifestyle free from worries.

TECHNICAL FEATURES



Scratch and
Abrasion Resistant



Resistant to
UV Rays



Easy to Clean
Surface



Resistant to
Fire and Heat



Frost Resistant
Surface



Flatness and
Stability Over Time



Impact Resistant
Surface



Water Resistant
Surface



Stain Resistant
Surface



Hygienic and
Suitable for Contact
with Food



Resistant to
Chemicals, Acids,
Bases, and Solvents



Resistant to
Mould, Mildew,
And Fungus



Innovation
Blended
With Nature.

MATT

www.spenzaceramics.com

Explore a rich spectrum of natural tones, inspired by the earth and designed to complement every décor style and vision.



DISCOVER MASTERY
IN EVERY HUE.



200X
1200MM
MATT

KASHMIR ROSE



Plank

**KASHMIR
ROSE**




**200X
1200MM**

RANDOM - 4
Surface- Matt

www.spenzaceramics.com

MAPPLE HONEY



Plank

**MAPPLE
HONEY**

SPENZA
ceramics



**200X
1200MM**

RANDOM - 7
Surface- Matt

www.spenzaceramics.com

MAXICAN WOOD



Plank

**MAXICAN
WOOD**

SPENZA
ceramics



**200X
1200MM**

RANDOM - 9
Surface- Matt

www.spenzaceramics.com

OAKLAND NATURAL



Plank

OAKLAND
NATURAL

SPENZA
ceramics



**200X
1200MM**

RANDOM - 6
Surface- Matt

www.spenzaceramics.com

OAKLAND PINE



Plank

OAKLAND
PINE

SPENZA
ceramics



**200X
1200MM**

RANDOM - 6
Surface- Matt

www.spenzaceramics.com

SPLASH WHITE



Plank

**SPLASH
WHITE**

SPENZA
ceramics




**200X
1200MM**

RANDOM - 10
Surface- Matt

www.spenzaceramics.com

VANCOVER ROSE



Plank

**VANCOVER
ROSE**

SPENZA
ceramics



**200X
1200MM**

RANDOM - 5
Surface- Matt

www.spenzaceramics.com

TRAVENTINE BEIGE



PHASE-1



Plank

**TRAVENTINE
BEIGE**



**200X
1200MM**


RANDOM - 01
Surface- Matt

www.spenzaceramics.com

TRAVENTINE GREY



PHASE-1



Plank

**TRAVENTINE
GREY**

SPENZA
ceramics




**200X
1200MM**


RANDOM - 01
Surface- Matt

www.spenzaceramics.com

TRAVENTINE WHITE



PHASE-1



Plank

**TRAVENTINE
WHITE**



**200X
1200MM**

RANDOM - 01
Surface- Matt

www.spenzaceramics.com



CARVING

www.spenzaceramics.com

Explore a rich spectrum of natural tones, inspired by the earth and designed to complement every décor style and vision.



CR LIME
WOOD SILVER



CR RICH WOOD
WENGE



CR-AQUA
WOOD




CR-BALSAM
BLACK



CR-ROCK
WOOD PINE

DISCOVER MASTERY
IN EVERY HUE.



**200X
1200MM**
CARVING

CR-LIME WOOD SILVER



Plank

CR LIME
WOOD SILVER




**200X
1200MM**

RANDOM - 7
Surface- Carving

www.spenzaceramics.com

CR-RICH WOOD WENGE



Plank

**CR RICH
WOOD WENGE**



**200X
1200MM**

RANDOM - 9
Surface- Carving

www.spenzaceramics.com

CR-AQUA WOOD



Plank

**CR-AQUA
WOOD**

SPENZA
ceramics




**200X
1200MM**

RANDOM - 5
Surface- Carving

www.spenzaceramics.com

CR-BALSAM BLACK



Plank

**CR-BALSAM
BLACK**



**200X
1200MM**

RANDOM - 10
Surface- Carving

www.spenzaceramics.com

CR-ROCK WOOD PINE



Plank

**CR-ROCK
WOOD PINE**

SPENZA
ceramics



**200X
1200MM**

RANDOM - 6
Surface- Carving

www.spenzaceramics.com



KOTA SERIES

www.spenzaceramics.com

Explore a rich spectrum of natural tones, inspired by the earth and designed to complement every décor style and vision.



KOTA BEIGE



KOTA COPPER



KOTA MAROON



KOTA RUST

DISCOVER MASTERY
IN EVERY HUE.



**200X
1200MM
KOTA**

KOTA BEIGE



Plank

**KOTA
BEIGE**

SPENZA
ceramics




**200X
1200MM**

RANDOM - 12
Series- Kota

www.spenzaceramics.com



KOTA COPPER



Plank

**KOTA
COPPER**

SPENZA[®]
ceramics




**200X
1200MM**

RANDOM - 8
Series- Kota

www.spenzaceramics.com

KOTA MAROON



Plank

**KOTA
MAROON**

SPENZA
ceramics




**200X
1200MM**

RANDOM - 8
Series- Kota

www.spenzaceramics.com

KOTA RUST



Plank

**KOTA
RUST**

SPENZA
ceramics




**200X
1200MM**

RANDOM - 8
Series- Kota

www.spenzaceramics.com

LAYING POSSIBILITIES




The material should be carefully checked before fixing, especially tonality, caliber and choice. Claims cannot be accepted once the material is installed. The company declines all responsibility for laying without joints; minimum joint laying has a gap of 2 mm.

Porcelain stoneware - Standard EN 14411 (ISO 13006) Annex G Group BIa, E ≤ 0.5%

TECHNICAL SPECIFICATIONS		STANDARDS	VALUES REQUIRED	OUR VALUES	
DIMENSIONS		Length and width	± 0,3%, max 1 mm	In According	
		Thickness	± 5%, max 0,5 mm	In According	
		Wedging	± 0,3%, max 1,5 mm	In According	
		Straightness of the edges	± 0,3%, max 0,8 mm	In According	
		Flatness	± 0,4%, max 1,8 mm	In According	
STRUCTURE		Water absorption - average value %	ISO 10545-3	≤ 0,5%	In According
		Breaking strength	ISO 10545-4	≥ 1300 N	≥ 2000 N
		Modulus of rupture		R ≥ 35 N/mm ²	In According
		Resistance to surface abrasion	ISO 10545-7	According to classification indicator by manufacture	PEI III
THERMAL SHOCK		Coefficient of thermal linear expansion	ISO 10545-8	9 x 10 ⁻⁴ max	In According
		Thermal shock resistance	ISO 10545-9	Resistant	Resistant
		Resistance to frost	ISO 10545-12	Resistant	Resistant
SAFETY		Dynamic friction coefficient	DIN 51130	According to the space or the working area	R9 / R11
CHEMICAL RESISTANCE		Resistance to high concentrations of acids and alkalis	ISO 10545-13	Class GHC Min.	Class GHA
		Resistance to low concentrations of acids and alkalis		Class GLC Min.	Class GLA
		Stain resistance	ISO 10545-14	Min. class 3	5

Plank

INSTALLATION ADVICE



The longest side should be staggered no more than 300mm when laid in running bond.

V SHADES



The V-Shade classification indicates the level of shading of the product, ranked from V0 to V4.

FEATURES



*We need minimum 2000sq/mtr order for R11 surface



SPENZA CERAMICS PVT. LTD.

8A National Highway, Parsvanath Complex I
1st Floor, Shop No.C3, Opposite Kuber Cinema
Morbi, Gujarat – 363642

For Inquiry

Phone : 0172-3500930
eMail : spenzaceramics@gmail.com



www.spenzaceramics.com

Follow us on **facebook** |  **YouTube**