



SPENZA CERAMICS PVT LTD
 8A National Highway, Parsvanath Complex I
 1st Floor, Shop No.C3, Opposite Kuber Cinema
 Morbi – 363642 (Gujarat) INDIA

For Inquiry
 0172 3500930
 spenzaceramics@gmail.com

www.spenzaceramics.com



Trend Design +91 885 11111 519



रहें **SAPNO** से आगे...



www.spenzaceramics.com

STORY OF THE SPENZA

At Spenza Ceramics, our journey started with a bold vision: to transform interior spaces into places of inspiration, not just practicality. Over the past decade, this vision has propelled us to the forefront of the ceramic industry, where our unwavering commitment to excellence sets us apart. Each tile we create is a testament to our dedication to quality craftsmanship and innovative design, leading trends rather than following them.

We invite you to continue this remarkable journey of innovation and creativity with us. Together, let's push the boundaries of ceramic design and elevate interior spaces to new levels. Join us as we shape the future, one tile at a time, creating spaces that inspire and endure.

16

Years of experience
in ceramic industry

22

Size in
Our House

280+

Dealers in
India

150+

Builders and
Construction in India

18+

Spenza World Dealer
/ Exclusive Company
Showroom

www.spenzaceramics.com



High Abrasion Resistance Property

Withstand wear, erosion, or damage caused by friction with surfaces that are made from qualitative sources of materials at areas with high foot traffic.



Chemical and stain Resistance

Prevent staining and discoloration with our chemical-resistant surfaces and enhance the durability of your space with the highly diverse applicable properties.




Impact Resistance

Have resistance against sudden blows without getting the surface cracked with our impact-resistant creations that integrity and longevity of your space.

**When you walk on
StoneKraft Anti-Slip surface**





600x600mm / 600x1200mm

Full Body, Skid Resistant, Germ Free Vitrified Tile is an innovative product made from special ingredients with anti-microbial that inhibits growth of germs like bacteria and fungus. This full body product with skid resistant property can be safely used in hospitals, schools, residential areas, offices or any other commercial space, where longevity and hygiene is paramount.



Full Body
These tiles are ideal for zones with heavy footfall because even after extended use, their colour remains the same.



Skid Resistant
A versatile surface with skid resistant property these tiles perfect for zero slippage on slopes of up to 250



Germ-Free (99.99%)
A specially formulated anti-microbial glazed used during the manufacturing process enables these tiles to prevent habitation of germs like bacteria and fungus, making them an ideal choice for today's health-conscious consumers.

The full body Series is a work of diligence, providing homogeneous body tiles. The aesthetic appeal of the tile remains intact even after prolonged exposure to wear and tear, making it the most preferred durable tile. All the designs are made by mixing natural clay, feldspar, quartz and natural pigments. Our R & D experts use special pigment grains for even dispersion, ensuring minimal color variation across batches. All the touch points like silos, lifting machines, conveyor belts where the mixture passes through are treated with utmost care to nullify impurities as a precautionary measure, even the conveyor belt is covered to avoid dust.

Product Features:

- 
HIGH STRENGTH
- 
SCRATCH RESISTANT
- 
ANTI-SKID
- 
CHEMICAL RESISTANT
- 
LOW MAINTENANCE
- 
ECO FRIENDLY




**Full
BODY**
VITRIFIED TILES

600x600MM(24"x24")




SIM STONE BLACK (GLOSSY)




SIM STONE BLACK (MATT)



SIM STONE BLACK (RUSTIC)



SIM STONE BROWN (GLOSSY)




SIM STONE BROWN (MATT)



SIM STONE COFFEE (MATT)



SIM STONE COFFEE (RUSTIC)



SIM STONE KOTA (MATT)



600x600mm



SIM STONE CREMA (GLOSSY)



SIM STONE CREMA (MATT)




SIM STONE CREMA (RUSTIC)




**Full
BODY**
VITRIFIED TILES


600x600MM(24"x24")



SIM STONE LUX (GLOSSY)




SIM STONE LUX (MATT)



SIM STONE LUX (RUSTIC)



SIM STONE NEGRO (MATT)



SIM STONE NEGRO (RUSTIC)



SIM STONE OLIVE (MATT)



SIM STONE OLIVE (RUSTIC)



SIM STONE PULPIS (MATT)



SIM STONE STONE GREY (MATT)




600x600mm






**Full
BODY**
VITRIFIED TILES

600x600MM(24"x24")



SIM STONE S&P WHITE (GLOSSY)



SIM STONE S&P WHITE (MATT)



SIM STONE SILK (MATT)



SIM STONE SILK (RUSTIC)



SIM STONE SOLID GREY (MATT)



SIM STONE SOLID SILVER (MATT)



600x600mm

TECHNICAL SPECIFICATION

Sr. No.	CHARACTERISTICS	STANDARD AS PER IS 15622:2006 GROUP BIA	MAIN VALUE OF SPENZA CERAMICS FULL BODY VITRIFIED TILES
Regulatory Properties			
1	Deviation in length & width	±0.5 %	±0.1 %
2	Deviation in thickness	±5.0 %	±3.0 %
3	Straightness of sides	±0.5 %	±0.1 %
4	Rectrangularity	±0.5 %	±0.1 %
5	Surface Flatness	±0.5 %	±0.2 %
6	Glossiness	As per mfg.	Matt surface
Structural Properties			
7	Water absorption	<0.50 %	≤ 0.10 %
8	Apparent density	>2.0 g/cc	>2.10 g/cc
Massive Mechanical Properties			
9	Modulus Rupture	MIN 35 N/mm ²	MIN 40 N/mm ²
10	Impact resistance	As per mfg.	Min. 0.55
Surface Mechanical Properties			
11	Surface abrasion resistance	As per mfg.	Min Class 5
12	MOH's hardness	As per mfg.	Min 5
Thermo Hydrometric Properties			
13	Frost resistance	No Damage	No Damage
14	Thermal shock resistance	No Damage	No Damage
15	Moisture expansion	Nil	Nil
16	Crazing resistance	As per mfg.	Min. 10 Cycle
Chemical Properties			
17	Chemical resistance	No Damage	No Damage
18	Stain resistance	Resistance	Resistance
Safety Properties			
19	Anti Skid (COF)	As per mfg.	Matt <0.75
20	Fire resistance	As per mfg.	Fire proof

PACKING DETAILS

SR NO	SIZE	THICKNESS (APPROX.)	NO OF TILES (PER BOX)	AREA (APPROX.)
1	600 X 600 MM	10 MM	4	15.5 SQ. FT.

Our Brands



ADHESIVE • EPOXY • CLEANERS

THE BUILDER'S CHOICE **SPENZA** BOND BEYOND BEST



Antibacterial effectiveness



Anti-pollution effectiveness



Self-cleaning effectiveness



Anti-odour effectiveness