

FEEL THE WOODEN  
CHARM UNDERFOOT

150X900MM

**NATURE**  
**WOOD**  
COLLECTION

 SPENZA<sup>®</sup>  
ceramics



# JOURNEY TO OUR WORLD

You can never ignore smallness. A small thing can give you a lot of happiness. And, a puny thing can change your Life forever. A small tile is capable of transporting you to your Wonderland. Tiles are not just little pieces. These play huge role in conjuring your place of dream in reality

We, SPENZA CERAMICS have a luxurious product range which includes Ceramic & Vitrified Floor Tiles, DIGITAL Wall Tiles, Designer Wall Tiles & Sanitary Wares. Our products lead the market because of their sophisticated designs, competitive edge, long-lasting life, and extensive range.

The essence of Spenza Ceramics is its awe-inspiring designs, vibrant colours and a limitless range. Spenza Ceramics has created a huge variety, just for you. Each product has been designed to perfection, to give you that ultimate satisfaction. Spend a moment with us and journey to an amazing world of colours and designs from out of this world.

In a short span of time SPENZA CERAMICS have achieved mile stone of success primarily due to the strong customer base across the country.



NATURE  
WOOD  
COLLECTION

## MAGICAL WOODEN BEAUTY

We strive to bring the beauty of nature with our wooden-based tiles. It comes in a range of soothing shades and subtle textures that give you choice for your space.



Wall - Floor Application



**150X900MM**

## **RUSTIC & SATIN FINISH**

Embrace the charm of our tiles that come in rustic & satin finish, evoking the warmth of aged wood with authentic textures and earthy tones, perfect for inviting interiors.



# RISE BEYOND IMAGINATION....

Explore a spectrum of shades in our satin and rustic finish wooden-based tiles, offering magnificent beauty and natural charm for any space.



# WHAT'S ORIGINAL MOULD TILE?

---

**NATURE  
WOOD**  
COLLECTION

In the past, there are 2 kinds of tile:  
rectified tile and original mould tile.

## ORIGINAL MOULD TILE


Traditional rectified tiles is cutting from big size, it is  
easy to bend. But the original mould tile will not.



## RECTIFIED TILE

Factory produced the bigger size wood  
tile first, then cut into the right size.





# EXPERIENCE ARTISTIC FOREST VIBE

OUR WOODEN PLANK TILES  
STAND TALL WHEN IT COMES  
TO EXPERIENCE THE SUBTLE  
PEACE IN ANY SPACE.

[www.spenzaceramics.com](http://www.spenzaceramics.com)

## APPLICATION AREA



Living  
Room



Office &  
Shops



Café &  
Bar



Hotel &  
Restaurant



Kitchen &  
Bathroom



Bedroom &  
Hall



spenzaceramics.com



TOUCH TO  
360° VIEW



**MOULD ALMORA RED**

12 RANDOM

**150X9000MM**

SATIN FINISH

**NATURE  
WOOD**  
COLLECTION





spenzaceramics.com



TOUCH TO  
360° VIEW


**MOULD ALMORA WENGE**

12 RANDOM

**150X9000MM**

SATIN FINISH

**NATURE  
WOOD**  
COLLECTION





spenzaceramics.com



TOUCH TO  
360° VIEW


**MOULD FOREST OLIVE**

06 RANDOM


**150X9000MM**

SATIN FINISH

**NATURE  
WOOD**  
COLLECTION




slip  
resistant



scratch  
resistant




fire  
resistant



stain  
resistant



spenzaceramics.com



TOUCH TO  
360° VIEW



## MOULD RUST STONE COPPER

04 RANDOM

150X9000MM


SATIN FINISH

**NATURE  
WOOD**  
COLLECTION





spenzaceramics.com



TOUCH TO  
360° VIEW


**MOULD RUST STONE GREY**

06 RANDOM

**150X9000MM**

SATIN FINISH

**NATURE  
WOOD**  
COLLECTION





spenzaceramics.com



TOUCH TO  
360° VIEW



**MOULD RUST STONE ROSE**

06 RANDOM

**150X9000MM**

SATIN FINISH

**NATURE  
WOOD**  
COLLECTION





spenzaceramics.com



TOUCH TO  
360° VIEW

**MOULD MAPPLE HONEY**

06 RANDOM

**150X9000MM**

SATIN FINISH

**NATURE  
WOOD**  
COLLECTION



slip  
resistant



scratch  
resistant



fire  
resistant



stain  
resistant



spenzaceramics.com



TOUCH TO  
360° VIEW


## MOULD MAPPLE BRASS

11 RANDOM

150X9000MM


RUSTIC FINISH

**NATURE  
WOOD**  
COLLECTION





spenzaceramics.com



TOUCH TO  
360° VIEW



**MOULD HEAVEN BEIGE**

06 RANDOM

**150X9000MM**

RUSTIC FINISH

**NATURE  
WOOD**  
COLLECTION





spenzaceramics.com



TOUCH TO  
360° VIEW


## MOULD HEAVEN GRIGRO

06 RANDOM

150X9000MM

RUSTIC FINISH

**NATURE  
WOOD**  
COLLECTION





## PACKING DETAILS

Sr. No.	Size	No. of Tiles Per Box	Coverage Area in Sq. Feet	Approx. Weight / Box
1	150x900mm	8	11.62sq.ft.	22kgs.

DISCLAIMER: Wooden Tiles reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime, the colors shown of tiles in this catalogue are purely illustrative and limited to printing process, please refer actual sample before final selection, the details of sizes, colors, references should be verified for typographical errors.

## TILE INSTALLATION GUIDELINES


- 1) Before commencing the tile installation, it is imperative to inspect all tiles for quality, noting the batch number and ensuring a consistent choice.
- 2) Prepare the floor surface by plastering, allowing a minimum of two weeks for curing before proceeding with tiling.
- 3) When laying the tiles, opt for a varied selection from different boxes, ensuring they are arranged in the desired pattern to achieve a harmonious blend of color and design. It's important to acknowledge that slight shade variations are inherent in tile manufacturing.
- 4) It is recommended to utilize specialized fixing adhesives or similar products during the tile installation process.
- 5) For traditional floor tiling methods, adhere to the following step-by-step instructions:
  - A) Prepare a mixture by combining cement and sand in a 1:4 ratio, adjusting the consistency with water until a uniform paste is achieved.
  - B) Apply a 20-25mm layer of the mortar mixture onto an area of 1.0 square meter at a time.
  - C) Thinly coat the back of each tile with the mortar mixture to ensure complete and secure bedding.
  - D) Press the tiles gently into place, ensuring even adherence to the surface. Avoid using heavy objects such as iron or hammers to press the tiles.
- 6) When fixing tiles to a Dado, opt for adhesive or similar bonding materials for secure attachment.
- 7) Allow for a curing period of 3-4 days after laying the tiles, then proceed to fill the joints with grout.
- 8) Maintain a joint gap of 1-2mm between tiles to accommodate potential thermal expansion in the future.
- 9) Please be advised that the company cannot be held liable for any issues arising from deviations from the aforementioned installation instructions.

## TILES LAYING PATTERN


1/4

Tiles Size : 150x900mm | 15x90cm

✓ 250MM




✗ 50:50%



it is recommended that tiles are laid grout linest

Minimum 4 mm  
Unrectified tiles

Minimum 2 mm  
Rectified tiles



### Tips to Enhance Aesthetic Appeal (Laying Guidelines)

1. Enhance the beauty and longevity of your tiling by incorporating 3mm spacers between each tile. Neglecting spacers may disrupt the seamless alignment of tiles.
2. Ensure consistency in design, pattern, and orientation by aligning the arrows marked on the back of each tile in the same direction.
3. Maintain uniformity in the installation of digitile products, adhering strictly to the specified format. Customized sizing is not feasible for this particular series.
  - The company absolves itself of any responsibility for issues arising from non-compliance with the aforementioned laying instructions.

[www.spenzaceramics.com](http://www.spenzaceramics.com)



**SPENZA CERAMICS PVT LTD**

8-A National Highway, Parsvanath Complex 1st Floor,  
Shop No. C3, Opp. Kuber Cinema,  
Morbi 363 642, (Gujarat) India.

Call.

0172-3500930

Mail.

[spenzaceramics@gmail.com](mailto:spenzaceramics@gmail.com)