

NATURE WOOD COLLECTION

CRAFTED MAGNIFICENTLY



200X1000MM



JOURNEY TO OUR WORLD

You can never ignore smallness. A small thing can give you a lot of happiness. And, a puny thing can change your life forever. A small tile is capable of transporting you to your Wonderland. Tiles are not just little pieces. These play a huge role in conjuring your place of dream in reality.

We, SPENZA CERAMICS have a luxurious product range which includes Ceramic & Vitrified Floor Tiles, DIGITAL Wall Tiles, Designer Wall Tiles & Sanitary Wares. Our products lead the market because of their sophisticated designs, competitive edge, long-lasting life, and extensive range.

The essence of Spenza Ceramics is its awe-inspiring designs, vibrant colours and a limitless range. Spenza Ceramics has created a huge variety, just for you. Each product has been designed to perfection, to give you that ultimate satisfaction. Spend a moment with us and journey to an amazing world of colours and designs from out of this world.

In a short span of time SPENZA CERAMICS have achieved a milestone of success primarily due to the strong customer base across the country.

NATURE WOOD COLLECTION



WOOD GOOD LOOK

Capturing nature's essence, our wood design tiles seamlessly blend rustic charm and modern allure, creating a timeless elegance for your living spaces.



Wall - Floor Application



200X1000MM

RUSTIC & SATIN FINISH



Embrace the charm of our tiles that come in rustic & satin finish, evoking the warmth of aged wood with authentic textures and earthy tones, perfect for inviting interiors.



WONDER OF WOODEN LOOK

Discover rustic elegance with our tiles, blending natural textures and earthy tones in a wide range of designs and shades to evoke warmth and timeless charm in any space.



APPLICATION AREA



Living
Room



Office &
Shops



Café &
Bar



Hotel &
Restaurant



Kitchen &
Bathroom



Bedroom &
Hall

www.spenzaceramics.com




FOREST INSPIRED WOODEN CHARM

Explore our tiles that resemble wooden
glory that give serene vibe in your home.



HEMLOCK
TEAK



TOUCH TO
360° VIEW


HEMLOCK TEAK
6 RANDOM
200X1000MM
SATIN FINISH





ELITE
WOOD CHARM







POPLAR
PINE



TOUCH TO
360° VIEW

POPLAR PINE
5 RANDOM
200X1000MM
SATIN FINISH






EPIC
FOREST VIBE






ROSE
WOOD



TOUCH TO
360° VIEW


ROSE WOOD
4 RANDOM
200X1000MM
SATIN FINISH





NATURAL
DESIGN GLORY






WILLOW
RED



TOUCH TO
360° VIEW

WILLOW RED
4 RANDOM
200X1000MM
SATIN FINISH






MAJESTIC
WOOD VIBE





CHERRY CHARM WOOD



TOUCH TO
360° VIEW

CHERRY CHARM WOOD
5 RANDOM
200X1000MM
SATIN FINISH





STELLAR
WOOD FINISH







EBONY
BROWN



TOUCH TO
360° VIEW

EBONY BROWN
4 RANDOM
200X1000MM
SATIN FINISH





FEEL NATURAL
BEAUTY







WHISPER
WENGE



TOUCH TO
360° VIEW

WHISPER WENGE
5 RANDOM
200X1000MM
SATIN FINISH





STYLISH
TIMBER TOUCH





YELLOW
WOOD



TOUCH TO
360° VIEW

YELLOW WOOD
7 RANDOM
200X1000MM
SATIN FINISH






EPIC WOOD
WONDER





**ALDER
WOOD GREY**



TOUCH TO
360° VIEW

ALDER WOOD GREY
9 RANDOM
200X1000MM
RUSTIC FINISH



slip
resistant



scratch
resistant



fire
resistant



stain
resistant




NATURAL
WOOD GRACE





ALDER
WOOD MAPPLE



TOUCH TO
360° VIEW

ALDER WOOD MAPPLE

9 RANDOM

200X1000MM

RUSTIC FINISH





ORGANIC
WOOD CHARM





**SANDLE
WOOD**



TOUCH TO
360° VIEW

SANDLE WOOD
5 RANDOM
200X1000MM
RUSTIC FINISH





VINTAGE
WOODEN MAGIC





TREVOK
RUST



TOUCH TO
360° VIEW

TREVOK RUST
5 RANDOM

200X1000MM
RUSTIC FINISH



slip
resistant



scratch
resistant



fire
resistant



stain
resistant




TIMBER
TILE MAGIC





**TREVOK
BEIGE**



TOUCH TO
360° VIEW

TREVOK BEIGE
1 RANDOM
200X1000MM
RUSTIC FINISH



slip
resistant



scratch
resistant



fire
resistant




stain
resistant



BRING
FANTASTIC CHARM



TREVOK
SILVER



TOUCH TO
360° VIEW

TREVOK SILVER
4 RANDOM
200X1000MM
RUSTIC FINISH



slip
resistant



scratch
resistant



fire
resistant



stain
resistant



NATURE'S
BRILLIANT VIBE



PACKING DETAILS

Sr. No.	Size	No. of Tiles Per Box	Coverage Area in Sq. Feet	Approx. Weight / Box
1	200x1000mm	5	10.76sq.ft.	20kgs.

DISCLAIMER: Wooden Tiles reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime, the colors shown of tiles in this catalogue are purely illustrative and limited to printing process, please refer actual sample before final selection, the details of sizes, colors, references should be verified for typographical errors.

TILE INSTALLATION GUIDELINES


- 1) Before commencing the tile installation, it is imperative to inspect all tiles for quality, noting the batch number and ensuring a consistent choice.
- 2) Prepare the floor surface by plastering, allowing a minimum of two weeks for curing before proceeding with tiling.
- 3) When laying the tiles, opt for a varied selection from different boxes, ensuring they are arranged in the desired pattern to achieve a harmonious blend of color and design. It's important to acknowledge that slight shade variations are inherent in tile manufacturing.
- 4) It is recommended to utilize specialized fixing adhesives or similar products during the tile installation process.
- 5) For traditional floor tiling methods, adhere to the following step-by-step instructions:
 - A) Prepare a mixture by combining cement and sand in a 1:4 ratio, adjusting the consistency with water until a uniform paste is achieved.
 - B) Apply a 20-25mm layer of the mortar mixture onto an area of 1.0 square meter at a time.
 - C) Thinly coat the back of each tile with the mortar mixture to ensure complete and secure bedding.
 - D) Press the tiles gently into place, ensuring even adherence to the surface. Avoid using heavy objects such as iron or hammers to press the tiles.
- 6) When fixing tiles to a Dado, opt for adhesive or similar bonding materials for secure attachment.
- 7) Allow for a curing period of 3-4 days after laying the tiles, then proceed to fill the joints with grout.
- 8) Maintain a joint gap of 1-2mm between tiles to accommodate potential thermal expansion in the future.
- 9) Please be advised that the company cannot be held liable for any issues arising from deviations from the aforementioned installation instructions.

TILES LAYING PATTERN


1/4

Tiles Size : 200x1000mm | 20x100cm

✓ 250MM




✗ 50:50%



it is recommended that tiles are laid grout linest

Minimum 4 mm
Unrectified tiles

Minimum 2 mm
Rectified tiles



Tips to Enhance Aesthetic Appeal (Laying Guidelines)

1. Enhance the beauty and longevity of your tiling by incorporating 3mm spacers between each tile. Neglecting spacers may disrupt the seamless alignment of tiles.
2. Ensure consistency in design, pattern, and orientation by aligning the arrows marked on the back of each tile in the same direction.
3. Maintain uniformity in the installation of digitile products, adhering strictly to the specified format. Customized sizing is not feasible for this particular series.
 - The company absolves itself of any responsibility for issues arising from non-compliance with the aforementioned laying instructions.

www.spenzaceramics.com



SPENZA CERAMICS PVT LTD

8-A National Highway, Parsvanath Complex 1st Floor,
Shop No. C3, Opp. Kuber Cinema,
Morbi 363 642, (Gujarat) India.

Call.

0172-3500930

Mail.

spenzaceramics@gmail.com